



ELIOS

LyvEco **DENCON** **Lyvia** **VF**
ACCESSORIES LTD. ELECTRICAL LTD.



Lyvia

VF

LyvEco

DENCON
ACCESSORIES LTD.



+44 (0)1279 433533



www.dencon.co.uk



sales@dencon.co.uk



+44 (0)1279 433633



YOUR NUMBER 1 ELECTRICAL & LIGHTING ACCESSORIES SUPPLIER

Welcome To The New And
Improved Dencon Catalogue



Now in our 82nd year, Dencon Accessories has cemented our place as one of the leading electrical and lighting accessories suppliers in the UK.

Each year we design our catalogue with our stockists in mind, making it easier to browse our wide array of high-quality products and take advantage of our best selling ranges. Our high impact packaging combines with our attractive pricing to create products that resonate with consumers and ensure healthy margins for our stockists.


Innovation is key in our eyes and each year we invest heavily in R&D to ensure our leading products are always on the cutting edge of innovation and style.

As always, we're working on improving relationships with our valued customers and providing them with ongoing support and value. Our partnerships are the most important aspect of our business and we want to take this opportunity to thank each and every one of you.

Here's to another great year working together!

Sincerely,

Richard Sullam
Managing Director



Scan QR code to visit
the Dencon website

★ Over 10,000 products

★ Dedicated customer support team

★ High Quality Products

★ Up to 5 years warranty on all products

★ CARRIAGE PAID on orders over £150*

★ Buy in bulk or just what you need

*Terms & Conditions Apply. Surcharges apply for remote or overseas locations.

HISTORY of DENCON

The Dencon Group of Companies was founded in 1939 by Samuel Sullam. No one knew back then, 80 years later, the company would still have a Sullam at the helm. Or that the same company would have expanded with multiple own brands and supply over 10,000 products nationwide.

A humble beginning selling lighting and fancy gifts helped provide the capital to develop the business in the City of London. This in turn helped pave the way for production of a wider range of electrical accessories, including British made fuses from our own factory in Sittingbourne, Kent. Using the workforce available, we were able to meet a growing demand from our customers for a wide range of products including bespoke packaging.



Since then, at Dencon, we have always tried to maintain that vision, putting our customer's needs first and embracing advances in technology. As seen today in our range of TUV GS certified range of LED lamps, now at the top of their market in energy efficiency and performance.

At our Harlow based headquarters, we have maintained our bespoke packaging service, having invested in state of the art bagging machines that offer our customers, modern day and retail ready, packaging solutions.



Our brands, within the Dencon Group of Companies, have an excellent reputation in the industry and will continue to focus on quality and fully certified products.





Today, you can still catch us at Trade Shows and Exhibitions. However our stand is now a far cry from the super retro and super posh looking wooden stand used in the 1960's. Or if you can't wait, just call us up to see what we can do for you.

So, as our journey moves on with our new catalogue, we remain independent and British owned. With our hard working team and loyal customers, we look forward to building on what is already a great British success story.



FLEXIBLE ORDERING

We offer all our customers complete ordering flexibility to suit your individual needs. So whether you want to place your order via our sales hotline, fax number, email or via our website 24/7-365, the choice is yours.

-  Call the sales hotline on **+44(0) 1279 433533**
-  Fax our sales team at **+44 (0) 1279 433633**
-  Email our sales team at **sales@dencon.co.uk**
-  Order online or via your mobile **www.dencon.co.uk**



OPEN YOUR ONLINE TRADE ACCOUNT TODAY!

By creating your FREE online Trade account with us, you get lots of benefits!

- Flexible ordering 24/7
- Personal online account
- Up to 30 days interest free credit
- First class support
- Access to all your past orders and invoices

Sign up today at www.dencon.co.uk/account/register

QUALITY & CHOICE

With more than 1,000 essential lines, with almost 10,000 variants, the Dencon Electrical Accessories range is one of the most comprehensive available to electrical stockists.

Conforming to BS, CE and UKCA standards, as well as meeting RoHs, Dencon products are designed and manufactured with exceptional quality.

- **Traditional and Contemporary designs**
- **Manufactured to the highest UK standards**
- **Hard wearing, long lasting, superior finish**



WHAT IS THE UKCA MARK?

The UKCA (UK Conformity Assessment) mark is the new UK Product marking required for certain products being placed on the market in Great Britain (England, Wales and Scotland) & indicates conformity to the British Standards for the product.

Due to Brexit the CE mark is no longer accepted in the GB market so the UKCA mark was created to replace it.

It covers most products that previously required the CE mark & came into force January 2021.



* All existing stocks without UKCA can continue to be sold until stocks are exhausted.

DELIVERY TO UK AND IRELAND

We can cater for large or small orders.

SURCHARGES APPLY

for remote or overseas locations
Geographical charges may apply.



OUTSTANDING CUSTOMER SERVICE... SINCE 1939

For over 80 years we have provided the highest levels of customer service.

Our helpful, knowledgeable staff are always on hand to offer business or technical advice, so you can plan your ranges more effectively.

Plus... our huge stocked range offers our customers first-rate stock availability across our entire range.

SUPPORTING ELECTRICAL WHOLESALE AND RETAIL TRADE SINCE 1939

PACKAGING TO SUIT YOUR NEEDS

Eco-friendly bag, Pre packed, loose, boxed and blistered.....

Our numerous packaging options offer your business complete flexibility meaning you can provide your customers with exactly what they need! The choice is simply yours!



**WE'RE FLEXIBLE ON
FLEX... AND ALL OF
OUR OTHER CABLE!**

We recognise that not all customers want to buy in 25m, 50m or 100m drums, which is why pre-cut cable is available in various shorter lengths.

Whatever your electrical requirements, you can trust in Dencon to meet them!

**CONTACT OUR SALES TEAM
FOR MORE INFORMATION**

CONTENTS



Switches & Sockets

9-23

WHITE PLASTIC RANGE | EVOLUTION RANGE | SLATE FINISH RANGE | VENETIAN RANGE
METAL CLAD | OUTDOOR RANGE | PULL SWITCHES | MINIATURE SWITCHES | BELL PUSHES



Wiring & Lighting Accessories

25-36

PATRESS, METAL & DRY LINING BOXES | CONNECTOR BOXES | JUNCTION BOXES | CONNECTORS
PENDANT KITS | LAMP HOLDERS | FLUORESCENT FITTINGS | SHAVER LIGHTS



Cable & Cable Accessories

37-43

FLEX & CABLE | PRE CUT CABLE | CABLE CLIPS | INSULATION TAPE | CABLE TIES



Fuses, Plugs, Adaptors & Leads

45-56

FUSES | PLUGS | CONNECTORS & TRAILING SOCKETS | EXTENSION LEADS & REELS | CONVERTERS
ADAPTORS | MULTIPLUGS | TIME SWITCHES | TRAVEL ADAPTORS | POWER LEADS | NIGHT LIGHTS
REMOTE SOCKETS



Phone, Network & AV

57-65

TELEPHONE ACCESSORIES | DATA & BROADBAND ACCESSORIES | USB CABLES
TV AERIAL & SATELLITE ACCESSORIES | AV LEADS



Lamps & Bulbs

67-91

LED BULBS & LAMPS | HALOGEN LAMPS | FLOODLIGHTS | BULKHEADS | WORK LAMPS



Tools & Equipment

93-96

SOLDERING | MAINS TESTERS | VACUUM CLEANER BAGS & ACCESSORIES
CROCODILE CLIPS | ELASTIC STRAPS



**TRADE
ONLY**



100% RECYCLABLE

**ECO FRIENDLY
LDPE MATERIAL**

In today's day and age never before have we been so conscientious about how we deal with waste products and at The Dencon Group we continue to move our range to better environmentally friendly packaging. Our Eco friendly hanging bags are attractive to display and are very popular with our customers.



**REPROCESSED INTO
PACKAGING**

MADE IN THE UK

SWITCHES & SOCKETS



WHITE MOULDED PLASTIC RANGE	10-12
EVOLUTION SLIMLINE WHITE RANGE	13-14
SLATE FINISH RANGE	15-16
VENETIAN STAINLESS STEEL RANGE	17-18
METAL CLAD SWITCHES & SOCKETS	19
MINIATURE SWITCHES & PULL SWITCHES	20
OUTDOOR SWITCHES & SOCKETS	21-22
MISCELLANEOUS SWITCHES	23
BELL PUSHES	23





WHITE MOULDED PLASTIC RANGE

The White Moulded Plastic Range pulls together a comprehensive collection of electrical accessories suitable for a multitude of applications. As a firm contractor favourite, this range should be a staple collection for all electrical stockists.

ALL OUR PRODUCTS CONFORM TO THE HIGHEST BRITISH STANDARDS



Switches to BS3676

4401	10A	1 Gang	1 way
4402	10A	1 Gang	2 way
4413	Intermediate Switch		
4403	10A	2 Gang	2 way
4404	10A	3 Gang	2 way
4414	10A	4 Gang	2 way



Sockets to BS1363

4405	13A	1 Gang
4408	13A	2 Gang

Switched Sockets to BS1363

4406	13A	1 Gang
4409	13A	2 Gang

Double Pole Switched Sockets to BS1363

4426	13A	1 Gang
4429	13A	2 Gang



Switched Socket with 2 USB Ports

13A socket with added USB functionality for charging USB devices including mobile phones, digital cameras and tablets.

- Output of 2400mA

4410	13A	2 Gang
------	-----	--------



13A 2 Gang Switch Socket

with 1 x USB A and 1 x USB C charging ports 5.0V = 3.0A

4420	13A	2 Gang
------	-----	--------

...WHITE MOULDED PLASTIC RANGE



Fused Spur to BS3676

4466	13A	without Pilot Lamp
4465	13A	with Pilot Lamp



Switched Fused Spur to BS3676

4468	13A	without Pilot Lamp
4469	13A	with Pilot Lamp




Double Pole Switch to BS3676

4412	20A	without Pilot Lamp
4411	20A	with Pilot Lamp



Double Pole Switch to BS3676

4454	45A	without Pilot Lamp
4456	45A	with Pilot Lamp



Double Length Double Pole Switch to BS3676

4453	45A	without Pilot Lamp
4452	45A	with Pilot Lamp



Double Pole Switch with 13A Switched Socket to BS4177

4458	45A	without Pilot Lamp
4457	45A	with Pilot Lamp



Fan Isolator Switch to BS3676


4417



Architrave Switches to BSEN60669


4482	6A	1 Gang	2 way
------	----	--------	-------

Dual Voltage Shaver Outlet with Transformer and Thermal Overload Protection



4425

MADE FROM DURABLE, SCRATCH RESISTANT THERMOSET MATERIAL, THE WHITE MOULDED PLASTIC RANGE OFFERS EXCEPTIONAL QUALITY AND VALUE.



Finger Plates

8804	White	1 Gang	Outside 14.2 x 14.2cm - Inside 7 x 7cm
8803	Clear	1 Gang	Outside 14.2 x 14.2cm - Inside 7 x 7cm
8806	White	2 Gang	Outside approx 17.5 x 11.5cm Inside approx 13 x 7cm
8805	Clear	2 Gang	Outside approx 17.5 x 11.5cm Inside approx 13 x 7cm



Blanking Plate

8808	Single
8809	Double

45A Connection Plate
to BS5733
4477

Dimmer Switches to BSEN60669

8500	400W	1 Gang	1 way	Rotary
8502	2x250W	2 Gang	2 way	Rotary
8590	1000W	1 Gang	2 way	Push on
8503	400W	1 Gang	2 way	Push on
8504	2x250W	2 Gang	2 way	Push on
8501	400W	1 Gang	1 or 2 way	LED (up to 100W)
8507	2x250W	2 Gang	1 or 2 way	LED (up to 100W)



Anti Microbial Protection

All Dencon wiring accessories in the socket and switches range are manufactured with Anti Microbial material. This material kills 99.9% of bacteria and viruses.

In between normal cleaning the anti microbial material will also protect against odour, mould and mildew giving peace of mind and protection.

Look out for the green and red sticker on our packaged products.



PREMIUM EVOLUTION RANGE-SLIMLINE

White Moulded Plastic

For functional, clean and great value fixtures, this modernised adaptation on the everyday standard plastic range is a popular choice for both domestic and commercial environments. Rounded edges and a slimline profile make the Evolution a stylistic unique collection.

ALL OUR PRODUCTS CONFORM TO THE HIGHEST BRITISH STANDARDS



Switches to BS3676

3401	10A	1 Gang	1 way
3402	10A	1 Gang	2 way
3413	Intermediate Switch		
3403	10A	2 Gang	2 way
3404	10A	3 Gang	2 way
3414	10A	4 Gang	2 way



Unswitched Socket to BS1363

3405	13A	1 Gang
3408	13A	2 Gang



Switched Socket to BS1363

3406	13A	1 Gang
3409	13A	2 Gang

Double Pole Switch with 13A
Switched Socket to BS4177

3458	45A	without Pilot Lamp
3457	45A	with Pilot Lamp

Architrave
Switches to
BSEN60669

3482	10A	1 Gang	2 way
------	-----	--------	-------



Fused Spur to BS1363

3466	13A	without Pilot Lamp
3465	13A	with Pilot Lamp




Switched Fused Spur to BS1363

3468	13A	without Pilot Lamp
3469	13A	with Pilot Lamp



Double Pole Switch to BS3676

3412	20A	without Pilot Lamp
3411	20A	with Pilot Lamp



Double Pole Switch to BS3676

3454	45A	without Pilot Lamp
3456	45A	with Pilot Lamp



Double Length Double Pole Switch to BS3676

3453	45A	without Pilot Lamp
3452	45A	with Pilot Lamp



Fan Isolator Switch to BS3676

3417



TV Coax Outlet

3479 1 Gang



Telephone Sockets

3471 1 way Extension



Blanking Plate


3488	Single
3489	Double

Dual Voltage
Shaver
Outlet with
Transformer
and Thermal
Overload
Protection

3425



SWITCH/SOCKET PLATE SCREWS



1138	38mm	Nickel Plated
1150	50mm	Nickel Plated
1138B	38mm	Brass
1150B	50mm	Brass



Stud/Screw Extender

1139

Fits 3.5mm screws
Available in packs of 10

SLATE FINISH Switches & Sockets

Incredibly stylish and fashionable. Our range of slate finish switches and sockets are a must have for any contemporary home. It's the little details that count, and this design trend is proving incredibly popular with consumers and interior designers alike.

ALL OUR PRODUCTS CONFORM TO THE HIGHEST BRITISH STANDARDS



Telephone Socket

7801SLT Secondary



Coaxial Socket

7819SLT



Blanking Plate

8889SLT 2 Gang



Dimmer Switches

8513SLT	400W	1 Gang	2 way
8514SLT	2x250W	2 Gang	2 way



Switches

8813SLT	Intermediate Switch
8861SLT	10A 1 Gang 2 way
8863SLT	10A 2 Gang 2 way
8873SLT	10A 3 Gang 2 way



DELIVERY TO UK AND IRELAND

We can cater for large or
small orders

SURCHARGES APPLY

for remote or overseas locations Geographical
charges may apply





Switched Sockets

4410SLT	13A	2 Gang	2 x USB
8864SLT	13A	1 Gang	
8865SLT	13A	2 Gang	



Cooker Control Unit with Neon

8877SLT

45A Double Pole Switch
with Neon

8876SLT 1 Gang

13A Double Pole Switch
Fused Spur

8859SLT	1 Gang with Neon Light
8868SLT	1 Gang

FLEXIBLE ORDERING

We offer all our customers complete ordering flexibility to suit your individual needs. So whether you want to place your order via our sales hotline, fax number, email or via our website 24/7-365, the choice is yours.

Call **+44(0) 1279 433533**Email **sales@dencon.co.uk**Fax **+44(0) 1279 433633**Visit **www.dencon.co.uk**VENETIAN RANGE
Stainless Steel Front Plates

The Venetian Brushed Stainless Steel Range is a high quality, contractor standard collection featuring a wide range of electrical accessories for all applications. Without compromising on style, the sleek slimline finish offers matching metal switch rockers with either black or white inserts.

ALL OUR PRODUCTS CONFORM TO THE HIGHEST BRITISH STANDARDS



Switches

8861WCX	10A	1 Gang	2 way	White
8861BCX	10A	1 Gang	2 way	Black
8813WCX	Intermediate Switch			White
8813BCX	Intermediate Switch			Black
8863WCX	10A	2 Gang	2 way	White
8863BCX	10A	2 Gang	2 way	Black
8873WCX	10A	3 Gang	2 way	White
8873BCX	10A	3 Gang	2 way	Black
8874WCX	10A	4 Gang	2 way	White
8874BCX	10A	4 Gang	2 way	Black



Switched Sockets

8864WCX	13A	1 Gang	White
8864BCX	13A	1 Gang	Black
8865WCX	13A	2 Gang	White
8865BCX	13A	2 Gang	Black



Dimmer Switches

8513WCX	400W	1 Gang	2way
8514WCX	400W	2 Gang	2 way



Fan Isolator Switch

8817WCX	10A	White
8817BCX	10A	Black





2G 13A Switch socket with
2 x USB charging ports

4410WCX	White
4410BCX	Black



Fused Spur with Neon

8858WCX	13A	White
8858BCX	13A	Black



Fused Switched Spur with Neon

8859WCX	13A	White
8859BCX	13A	Black



Double Pole Switch

4412WCX	20A	White
4412BCX	20A	Black



Double Pole Switch with Neon

4411WCX	20A	White
4411BCX	20A	Black



Double Pole Switch with Neon

8876WCX	45A	White
8876BCX	45A	Black

Double Pole Switch with 13A
Switched Socket with Neon

8877WCX	45A	White
8877BCX	45A	Black



TV Coaxial Outlet

7819WCX	1 Gang	White
7819BCX	1 Gang	Black
7820WCX	2 Gang	White
7820BCX	2 Gang	Black



Telephone Sockets

7800WCX	1 way Master	White
7800BCX	1 way Master	Black
7801WCX	1 way Extension	White
7801BCX	1 way Extension	Black



Shaver Socket

4425WCX	White Insert
---------	--------------

METAL CLAD Switches & Sockets

The durable, powder coated Metal Clad range is the ideal solution for commercial applications. Complete with back box and multiple 20mm cable gland entry points, these tough switches and sockets are designed for areas where plastic equivalents are not safe to be used.

ALL OUR PRODUCTS CONFORM TO THE HIGHEST BRITISH STANDARDS



Switches

4431	10A	1 Gang	2 way
4432	10A	2 Gang	2 way
4433	10A	3 Gang	2 way



Switched Socket

4436	13A	1 Gang
4439	13A	2 Gang



Switched Fused Spur

4478	13A	without Neon
4479	13A	with Neon



Switched Socket with USB

4419	2.1A	USB Metal Clad
------	------	----------------

2G 13A Double Pole with
2.1mA USB Charging Ports



MINIATURE SWITCHES



Pressal Switch

2241 for Metal Fixing
2243 for Wood Fixing



Miniature Tumbler
Switch Metal Cover
12V 3A Low Voltage
820



Mortice Switch

1545 Flush 2A 250V
Push To Break
Surface 2A
1546 Push To Break

Centre Pull Cord
2242

2A Centre Pull Switch
Complete white Pull
Cord 670mm long.
10mm Thread.
(H)25mm x
(W)25mm x (D)14mm



Side Pull Cord
1544

2A Side Pull Cord Switch
Cord Length 195mm



PULL SWITCHES



Ceiling Pull Switch

1730 6A, 1 Way White
1731 6A, 2 Way White



Ceiling Pull Switch

1750 6A, 1 Way White
1751 6A, 2 Way White



45A Ceiling Switch with
Neon & Indicator
1745



Ceiling Pull Switch

1738 6A, 2 Way Chrome



1.5m Spare Pull Cord
1729

OUTDOOR SWITCHES & SOCKETS

Our extensive quality range of IP rated outdoor accessories includes junction boxes, switches, sockets and much more. With high spec features and backed by rigorous testing, the stockists can be confident in their range withstanding even the harshest conditions.

ALL OUR PRODUCTS CONFORM TO THE HIGHEST BRITISH STANDARDS

IP54 Splash Proof

Weatherproof to splashing
of water from any direction.

IP54 Outdoor Switches

6421 10A 1 Gang 2 way
6422 10A 2 Gang 1 way



IP54 Outdoor Sockets

6425 13A 1 Gang
6428 13A 2 Gang



Junction Black Box JB80B

IP66 rated black junction
box. 8 x self sealing cable
inlets. 2 x stainless steel
lid screws. Suitable for
extreme conditions or
outdoor installations.



IP54 Junction Box

JB8130 80mm Square
JB8135 100mm Square





IP66 Storm Proof

Weatherproof to high velocity water from any direction.

IP66 Outdoor Switches

6431	10A	1 Gang	2 way
6432	10A	2 Gang	2 way



IP66 Outdoor
2 Gang 13A
Switched
Socket
6438



IP66
Outdoor 1
Gang 13A
Socket
6435



IP66 Junction Box

JB80	81mm
JB100	100mm
JB125	125mm
JB175	175mm



WHEN ORDERING OUR BAGGED PACKAGED OPTION, BE SURE TO ADD **"NB"** TO THE END OF OUR ITEM CODES.



MISCELLANEOUS SWITCHES & BELL PUSHES



2A Inline Switch
Suitable for 2 Core Flex
2 x 0.75mm² H03VV-F
(L)5.7 x (W)2.7 x
(H)1.5mm

2461W	White
2461B	Black



6A Through Switch
Double Pole 3
Terminal Suitable for
3 Core Flex
(L)7 x (W)3 x (H)2mm

2279W	White
2279B	Black
2279G	Gold

MAINS WIRED BELL PUSHES



Bell Push
1017



Illuminated Nameplate Bell Push
1018



Bell Push
1019

WIRING & LIGHTING ACCESSORIES



PATRESS, METAL & DRY LINING BOXES	26-27
CONNECTOR BOXES, JUNCTION BOXES & CONNECTORS	27-29
PENDANT KITS, LAMP HOLDERS & ACCESSORIES	30-34
FLUORESCENT FITTINGS & ACCESSORIES	34-36
SHAVER LIGHT	36
LED FITTINGS & ACCESSORIES	36

PATTRESS BOXES TO BS5733

Made from thermoset resin with multiple knock outs for cable entry.

1 Gang Pattress Box

CODE	DEPTH (Inside/Outside)	VARIANT
8897	16mm / 19mm	1G with earth
8898	25mm / 28mm	1G
8899	28mm / 32mm	1G
8901	41mm / 44mm	1G with earth & cable clamp

2 Gang Pattress Box

CODE	DEPTH (Inside/Outside)	VARIANT
8908	25mm / 28mm	2G
8900	28mm / 32mm	2G
8902	41mm / 44mm	2G with earth & cable clamp
8886	35mm / 38mm	Dual

Dual Conversion Box

Converts a single socket to a double socket.

CODE	DEPTH (Inside/Outside)
8887	25mm / 28mm



8899



8900



8886

METAL BOXES TO BS4662

Galvanised steel back boxes with adjustable lugs, earth terminal and multiple knock outs for cable.

BSI CERTIFIED



8847



8845



8853

1 Gang Metal Box

CODE	DEPTH	VARIANT
8848	16mm	1G
8847	25mm	1G
8844	35mm	1G
8851	47mm	1G

2 Gang Metal Box

CODE	DEPTH	VARIANT
8845	25mm	2G
8849	35mm	2G
8852	45mm	2G
8853	35mm	Dual

DRY LINING BOXES TO BS5733

Adjustable for varying plasterboard thickness with multiple knock outs for cable.

1 Gang Dry Lining Box

CODE	DEPTH	VARIANT
8895	36mm	1G
8892	47mm	1G

2 Gang Dry Lining Box

CODE	DEPTH	VARIANT
8896	36mm	2G
8893	47mm	2G
8894	36mm	Dual



8895



8894

8896

WATERPROOF CONNECTORS



3 Pole IP68 Solid Connector
1930



3 Pole IP68 Plug & Socket Connector
1929

CONNECTOR BOXES



Connector Box 3 Pole
• Screws & Connector Strip Included
• (L)6.5 x (W)3.5 x (H)2.5cm

1926B	Black
1926W	White



2 Terminal Fixed Connector
1922 5A White



3 Terminal Fixed Connector
1924 13A White

3 Way IP66 Connector Box

Made for outdoor use, this weatherproof connector box is able to withstand high velocity water from all directions.



1927
• 1 input 2 outputs
• Screws included
• (L)12.3 x (W)7.5 x (H) 3.7cm (measurements include output/inputs)




Junction Connection Box with 4 Pole Screw - Terminal

1928W	White
1928B	Black

JUNCTION BOXES

Conform to BSEN60670



CODE	TERMINAL	AMP	DIAMETER	DEPTH	TYPE	COLOUR
4044W	3 Terminal	30A	70mm	22mm	Selective Entries	White
4044B	3 Terminal	30A	70mm	22mm	Selective Entries	Black
4049W	3 Terminal	30A	87mm	33mm	Heavy Duty with Selective Entries	White
4049B	3 Terminal	30A	87mm	33mm	Heavy Duty with Selective Entries	Black
4041W	Mini 4 Terminal	20A	55mm	24mm		White
4045W	4 Terminal	5A	60mm	20mm	Selective Entries	White
4043W	4 Terminal	20A	70mm	24mm	Selective Entries	White
4043B	4 Terminal	20A	70mm	24mm	Selective Entries	Black
4048W	4 Terminal	20A	90mm	29mm	Heavy Duty with Selective Entries	White
4048B	4 Terminal	20A	90mm	29mm	Heavy Duty with Selective Entries	Black
4053B	6 Terminal	20A	80mm	27mm		Black

OWN BRANDED PACKAGING


Our In-House product bagging facility gives our customers the opportunity of having our products packaged in their own branded bags (subject to quantity) or having our very popular Dencon branded bags.

Our bagging machines offer up to date technology with computerised automated processes, which allow for reduced lead times when compared to blister packing and pre packed items.

Bagged products have attractive colour packaging that stands out, is appealing and is suitable for standard euro display hooks.



CONNECTOR STRIPS



Polyamide 12 Way
Connector Strips

- VDE approved
- Heat resistant up to 125°C

CODE	AMP
9016	2A
9017	5A
9018	15A
9019	30A



Connector Strips

- VDE High-Temperature 450V up to 195°C
- Resistant Term Block

9036	24A White
9037	32A Brown
9038	57A Brown



Pushwire Connector 450V

9022	2-pole
9023	3-pole
9024	4-pole
9025	5-pole with grey side
9028	8-pole with black side



Lighting Connector 24A 450V

CODE	DESCRIPTION	PACK SIZE
9031	Single conductor	10
9032	Dual conductor	10



Compact Lever Connector 32A 450V

9212	C2221-412 2-pole
9213	C2221-413 3-pole
9215	C2221-415 5-pole



Earth Bonding Clamp to BS957
8840



20mm Grommet for Metal Boxes
1120

PENDANT KITS

T1 lamp holder suitable for conditions up to a temperature of 165°C. Max wattage open shade 100W max wattage closed shade 60W.

T2 lamp holder suitable for conditions up to a temperature of 210°C. Max wattage 100W.

CODE	SIZE	LAMP HOLDER
1739AS	6" (15cm)	T1 Lamp Holder
1740AS	9" (23cm)	T1 Lamp Holder
1735AS	12" (30cm)	T1 Lamp Holder
1739ASHR	6" (15cm)	Heat Resistant T2 Lamp Holder
1727HR	6" (15cm)	Heat Resistant T2 Short Skirt Lamp Holder



1413



1400



5010



1415

LAMP HOLDERS

to BSEN/IEC61184

CODE	DESCRIPTION	VARIANT	COLOUR
1413T2	BC Cord Grip Lamp Holder, Heat Resistant	T2	White
1400T2	BC Cord Grip Lamp Holder with Screwgrip, Heat Resistant	T2	White
5010T2	BC ½" Entry Lamp Holder, Long Skirt Heat Resistant	T2	White
1415T2	BC ½" Switched Lamp Holder, Long Skirt Heat Resistant	T2	White

**FULLY COMPLIANT TO
BRITISH STANDARDS**

BATTEN HOLDERS

to BSEN/IEC61184



1418T2 / 1423T2

CODE	DESCRIPTION	VARIANT
1418T2	BC Short Skirt, 2 Terminals T2 Heat Resistant Batten Holder	White
1423T2	BC Short Skirt, 3 Terminals T2 Heat Resistant Batten Holder	White
1426T2	BC HO Skirt, 3 Terminals T2 Heat Resistant Batten Holder	White
1427	BC HO Skirt, 3 Terminals Deep Base T1 Batten Holder	White
1428	BC Ceiling Rose Base Batten Holder T1 with Extended Skirt	White
1428T2	BC Ceiling Rose Base Batten Holder T2 with Extended Skirt	White
1419T2	BC Angle Short Skirt, 2 Terminals T2 Heat Resistant Batten Holder	White
1430T2	BC Angle HO Skirt, 3 Terminals T2 Heat Resistant Batten Holder	White



Miniature MES Low
Voltage Batten
Lamp Holder
1119

- (D) 3cm x
(H) 1.8cm



GU10 Lamp Holder
1411



Spring Clip-Pack of 10

1412	For Pressed Steel GU10 Holder
1412A	For Cast Steel GU10 Holder

LAMP HOLDER ACCESSORIES



5051B



5051

Available in Black & White

Bottle Lamp Adaptor with flex and plug
5051 / 5051B

- Conforms to BSEN/IEC60598
- Switched
- BC Fitting
- Fits bottle diameter between 17mm dia ~ 19mm dia
- Cable length approx 2m
- 250V AC 50Hz Supply max load 2A
- Recommended bulb bayonet B22 60w max (closed shade)
- Recommended bulb bayonet B22 100w max (open shade)
- For indoor use only



Spare Skirt

2007 T2 Short Skirt for Lamp Holder
2009T2 T2 Heat Resistant HO Skirt for Lamp Holder



Clip-On Lamp Adaptor with 2m flex and plug
5053

- Conforms to BSEN/IEC60598
- Switched
- BC Fitting



Metal Shade Retainer
2004

Plastic Shade Ring For Lamp holder
2008

CEILING FITTINGS

Ceiling Hooks

1135 Brass
1136 Chrome




LAMP HOLDER ADAPTORS



CODE	DESCRIPTION	VARIANT
1940	B22- E27 BC to ES Light Bulb Adaptor	White
1941	B22- GU10 Adaptor	White
1942	E14- E27 Adaptor	White
1943	E14- GU10 Adaptor	White
1944	E27- B22 Adaptor	White
1945	E27- E14 Adaptor	White
1946	E27- E40 Adaptor	White
1947	E27- GU10 Adaptor	White
1948	E27- 2E27A Adaptor	White
1949	GU10- E14 Adaptor	White
1950	GU10- E27 Adaptor	White
1951	G24 (2pin) - E27 Adaptor	White
1952	BA15D- E14 Adaptor	White
1953	G24 (4pin) - E27 Adaptor	White
1940B	B22- E27 Adaptor	Black
1944B	E27- B22 Adaptor	Black

BRASS LAMP HOLDERS & CEILING FITTINGS



Brass Lamp Holders

215	SBC Brass 1/2" Lamp Holder with Earth
217	BC Brass 1/2" Lamp Holder with Earth
219	BC Brass Cord Grip Lamp Holder with Earth

101	BC Brass 1/2" Switched Lamp Holder with Earth
7174	ES Brass Lamp Holder with Earth
7175	SES Brass Lamp Holder with Earth - 10mm entry

Brass Lamp Holders Accessories

238	BC Brass Batten Holder with Earth
1115	1/2" Brass Backplate 12.7mm
1110	1/2" to 10mm Brass Reducer
1114	1/2" to 3/8" Brass Reducer
1117	1/2" Brass Wood Nipple
1111	Spare Ring for Brass Lamp Holder



FLUORESCENT TUBES & ACCESSORIES

Our range of strip lights and surface mounted fluorescent fittings are ideal for both commercial or domestic applications and can be ceiling or wall mounted.



T4 Tube

CODE	WATT	LUMENS	LENGTH (TUBE)	LENGTH (PIN TO PIN)	KELVINS	ENERGY CLASS	DIMMABLE
3208TUBE	8W	344	315mm	330mm	6200	A	✓
3212TUBE	12W	596	418mm	433mm	6200	A	✓
3216TUBE	16W	730	463mm	478mm	6200	A	✓
3220TUBE	20W	1151	507mm	522mm	6200	A	✓
3222TUBE	22W	1296	711mm	726mm	6200	A	✓

HIGH EFFICIENCY TUBES WITH UP TO 20,000 HOURS LIFE!



T5 Tri-phosphor
Fluorescent Tube

- 4000K
- 'A' rated for efficiency
- EN61195

CODE	WATT	SIZE	LUMENS
T5/6W	6W	212 x 16mm	300
T5/8W	8W	288 x 16mm	420
T5/13W	13W	517 x 16mm	840
T5/21W	21W	849 x 16mm	1850



T8 Tri-phosphor
Fluorescent Tube

- 4000K
- 'A' rated for efficiency
- EN61195

CODE	WATT	SIZE	LUMENS
T8/36W	36W	1200 x 26mm	3350
T8/58W	58W	1500 x 26mm	5200



T4 Fluorescent Tube

- 3400K

CODE	WATT	SIZE (pin to pin)	LUMENS
T4/6W	6W	217 x 12mm	265
T4/10W	10W	354 x 12mm	480
T4/16W	16W	465 x 12mm	950
T4/20W	20W	565 x 12mm	1300
T4/25W	25W	650 x 12mm	1420
T4/30W	30W	762 x 12mm	1580

Striplights

- Plastic Striplight Fitting
- Push Switch with Safety Release Button
- Tube not included


CODE	FITTING
294	Fits 284mm Tube
293	Fits 221mm Tube



STARTERS

Fluorescent Lighting Starters

FSU	4-65W Starter
F125	125W Starter
FS22	4-22W Single or Double Tubes





LED FITTINGS & ACCESSORIES



LED-T5 Fittings 6200k

CODE	WATT	SIZE	LUMENS
3201	4W	313mm	320
3202	8W	573mm	640
3203	10W	873mm	800
3204	14W	1173mm	1120



Linkable Lead For Under Cupboard Lighting

CODE	SIZE
3205	15cm
3206	30cm
3207	60cm

SHAVER LIGHT



Dual Voltage Shaver Light
with Isolating Transformer
297

- Shaver light with transformer
- Dimensions 40.5 x 5.2 x 6.6cm
- Dual Voltage output 110V-240V
- Easy wire terminal block
- Overload protection
- Uses standard 60w 284mm tubes (see page 81)

OPEN YOUR ONLINE TRADE ACCOUNT **TODAY!**

By creating your **FREE** online trade account with us, you get lots of benefits!


- Flexible ordering 24/7
- Personal online account
- Up to 30 days interest free credit
- First class support
- Access to all your past orders and invoices

Sign up today at www.dencon.co.uk/account/register

CABLE & CABLE ACCESSORIES



FLEX & CABLE	38-40
PRE-CUT CABLE	41
CABLE CLIPS	42
INSULATING TAPE	42
CABLE TIES	43





FLEX & CABLE

Our comprehensive range covers a vast selection of flex & cable including armoured, twin & earth, flex, Coaxial, data cable and much more.

2 Core PVC Insulated White

CODE	DESCRIPTION	MAX CURRENT	DR 100M DRUM	D 50M DRUM	CABLE CLIP
FL26	Oval, 0.50mm ² (2192Y)	3A	✓	✓	F54
FL27	Oval, 0.75mm ² (2192Y)	6A	✓	N/A	F54
FL21	Round, 0.50mm ² (2182Y)	3A	✓	✓	F50
FL9	Round, 0.75mm ² (2182Y)	6A	✓	✓	F51
FL42	Round, 0.75mm ² (3182Y)	6A	✓	N/A	F51




2 Core PVC Insulated Coloured

CODE	DESCRIPTION	MAX CURRENT	DR 100M DRUM	D 50M DRUM	CABLE CLIP
FL62	Oval, 0.50mm ² Black (2192Y)	3A	✓	N/A	F54
FL46	Oval, 0.75mm ² Gold (2192Y)	6A	✓	N/A	F54
FL37	Round, 0.75mm ² Orange (2182Y)	6A	✓	N/A	F51
FL16	Round, 1.00mm ² Orange (3182Y)	10A	✓	✓	F52




3 Core PVC Insulated White

CODE	DESCRIPTION	MAX CURRENT	DR 100M DRUM	D 50M DRUM	CABLE CLIP
FL20	Round, 0.50mm ² (2183Y)	3A	✓	✓	F50
FL10	Round, 0.75mm ² (2183Y)	6A	✓	✓	F51
FL30	Round, 0.75mm ² (3182Y)	6A	✓	✓	F52
FL15	Round, 1.00mm ² (3182Y)	10A	✓	✓	F52
FL28	Round, 1.25mm ² (3182Y)	13A	✓	N/A	F53
FL29	Round, 1.50mm ² (3182Y)	15A	✓	✓	F53



3 Core PVC Insulated Coloured


CODE	DESCRIPTION	MAX CURRENT	DR 100M DRUM	D 50M DRUM	CABLE CLIP
FL36	Round, 0.50mm ² Gold (2183Y)	3A	✓	N/A	F50
FL64	Round, 0.75mm ² Black (2183Y)	6A	✓	N/A	F51



MOST OF OUR FLEX AND CABLE IS AVAILABLE PRE-CUT... SEE PAGE 41 »


3 Core Heat Resistant PVC Insulated (85O)

CODE	DESCRIPTION	MAX CURRENT	DR 100M DRUM	D 50M DRUM	CABLE CLIP
FL89	Round, 1.50mm ² White (2192Y)	15A	✓	N/A	F53




3 Core Cotton Covered (Iron Flex)

CODE	DESCRIPTION	MAX CURRENT	DR 100M DRUM	D 50M DRUM	CABLE CLIP
FL40	Braided, Non Kink 1.00mm ²	10A	N/A	✓	F52



Flat Twin & Earth - Harmonised Colours

CODE	DESCRIPTION	MAX CURRENT	DR 100M DRUM	D 50M DRUM	CABLE CLIP
FL31	1.0mm ² (6242Y)	10A	✓	✓	F48G
FL33	1.5mm ² (6242Y)	15A	✓	✓	F48G
FL32	2.5mm ² (6242Y)	25A	✓	✓	F49G
FL49	4.0mm ² (6242Y)	36A	N/A	✓	F56G
FL34	6.0mm ² (6242Y)	45A	✓	✓	F55G
FL41	10.0mm ² (6242Y)	60A	N/A	✓	F59G
FL44	1.0mm ² (6243Y) 3 Core + Earth	10A	✓	✓	F49G
FL45	1.5mm ² Double Brown	15A	✓	✓	F48G




Coax and Satellite Cable

CODE	DESCRIPTION	DR 100M DRUM	D 50M DRUM	CABLE CLIP
FL71	RG6U Satellite Cable White	✓	N/A	F51
FL73	RG6U Satellite Cable Brown	✓	N/A	F52BR
FL75	RG6U Satellite Cable Black	✓	N/A	F51B
FL72	RG6U Dual Satellite Cable	✓	N/A	



Telephone & Alarm Cable

CODE	DESCRIPTION	DR 100M DRUM	D 50M DRUM	CABLE CLIP
FL74	4 Core, 2 Pair	✓	N/A	F45
FL76	6 Core, 3 Pair	✓	N/A	F50
FL78	6 Core, Alarm	✓	N/A	F50
FL79	8 Core, Alarm	✓	N/A	F51



Low Voltage

CODE	DESCRIPTION	DR 100M DRUM	D 50M DRUM	CABLE CLIP
FL11	Bell Wire, Solid Cores	✓	N/A	F46
FL19	Speaker Flex	✓	N/A	F47





Earth Wire

CODE	DESCRIPTION	DR 100M DRUM	D 50M DRUM	CABLE CLIP
FL90	10mm Green & Yellow (6491X)	N/A	✓	N/A
FL96	6mm Green & Yellow (6491X)	N/A	✓	N/A

Earth Sleeving

CODE	DESCRIPTION	LENGTH	CABLE CLIP
FL03	3.00mm ² Sleeving	100m	N/A
FL03/2M	3.00mm ² Sleeving Prepack	2m	N/A

ARMOURED CABLE

CODE	DESCRIPTION	DR 100M DRUM	D 25M DRUM	DD 50M Drum
FL91	1.5mm (6943X)	N/A	✓	✓
FL92	2.5mm (6943X)	N/A	✓	✓



▶ 20 CW Brass Gland BS6121
8841

▶ C6 Clingstraps
Cable Cleat
8842

- Cable Range:
12.6 - 15.2mm
- Stud Size: M6
Hole Size



PRE-CUT CABLE



2 Core PVC Insulated White

PRE-CUT CABLE			
Round, 0.50mm ² (2182Y)	5m	FLPP012	

3 Core PVC Insulated White

PRE-CUT CABLE			
Round, 0.50mm ² (2183Y)	5m	FLPP013	10m FLPP014
Round, 0.75mm ² (3182Y)	5m	FLPP015	10m FLPP016
Round, 1.50mm ² (3182Y)	5m	FLPP017	10m FLPP018

Flat Twin & Earth - Harmonised Colours

PRE-CUT CABLE					
1.0mm ² (6242Y)	5m	FLPP000	10m	FLPP001	25m FLPP002
1.5mm ² (6242Y)	5m	FLPP003	10m	FLPP004	25m FLPP005
2.5mm ² (6242Y)	5m	FLPP006	10m	FLPP007	25m FLPP008
6.0mm ² (6242Y)	5m	FLPP009	10m	FLPP010	25m FLPP011
10.0mm ² (6242Y)	5m	FLPP036	10m	FLPP037	N/A

Telephone & Alarm Cable

PRE-CUT CABLE		
4 Core, 2 Pair	10m	FLPP033

Low Voltage

PRE-CUT CABLE			
Bell Wire, Solid Cores	10m	FLPP034	25m FLPP035
Speaker Cable	5m	FLPP019	13 x 0.2mm

WHEN ORDERING OUR BAGGED PACKAGED OPTION, BE SURE TO ADD "NB" TO THE END OF OUR ITEM CODES.





CABLE CLIPS

Our extensive range of tough, high quality, cable clips come in all shapes, colours, packaging types and sizes.



White Black Brown Grey



CODE	SIZE	COLOUR
F42	2.5mm	White
F43	3.5mm	White
F45	4mm	White
F50	5mm	White
F51	6mm	White
F51B	6mm	Black
F52	7mm	White
F52B	7mm	Black
F52BR	7mm	Brown
F53	8mm	White
F57	9mm	White

CODE	SIZE	COLOUR
F46	4mm	White
F47	5mm	White
F54	6mm	White
F48G	9mm for 1.5mm T&E	Grey
F49G	10mm for 2.5mm T&E	Grey
F56B	13mm for 6mm T&E	Black
F56G	13mm for 6mm T&E	Grey
F55G	14mm for 6mm T&E	Grey
F59G	18mm for 10mm T&E	Grey



All cable clips are available in either: boxed, carded or display bags.

PACKED TO SUIT YOUR NEEDS!
Speak to one of our sales team for more information.

INSULATING TAPE

PVC Insulating Tape to BS3924

CODE	SIZE
325	19mm x 5m
328	19mm x 20m
333	19mm x 33m

Available in:
Black, White, Blue, Green, Red, Yellow,
Grey, Brown, Green/Yellow Stripes



Packing Tape
50mm x 66m
339

CABLE TIES

Plastic Cable Ties Bag of 100

CODE	SIZE	COLOUR
CT10025B	100 x 2.5mm	Black
CT10025N	100 x 2.5mm	Natural
CT14036B	140 x 3.6mm	Black
CT14036N	140 x 3.6mm	Natural
CT16048B	160 x 4.8mm	Black
CT16048N	160 x 4.8mm	Natural
CT20048B	200 x 4.8mm	Black
CT20048N	200 x 4.8mm	Natural
CT20036B	200 x 3.6mm	Black
CT20036N	200 x 3.6mm	Natural
CT29548B	295 x 4.8mm	Black
CT29548N	295 x 4.8mm	Natural
CT37048B	370 x 4.8mm	Black
CT37048N	370 x 4.8mm	Natural
CT37076B	370 x 7.6mm	Black
CT37076N	370 x 7.6mm	Natural



Plastic Cable Ties Bag of 25

CODE	SIZE	COLOUR
CT550127B	540 x 12.7mm	Black

Stainless Steel Cable Ties Bag of 10

CODE	SIZE
CTSST100	4.6 x 100mm
CTSST152	4.6 x 152mm
CTSST200	4.6 x 200mm
CTSST300	4.6 x 300mm
CTSST360	4.6 x 360mm
CTSST520	4.6 x 520mm
CTSST79152	7.9 x 152mm
CTSST79200	7.9 x 200mm
CTSST79300	7.9 x 300mm
CTSST79360	7.9 x 360mm
CTSST79520	7.9 x 520mm



Terminals

CODE	DESCRIPTION
CN2514-B	Blue Female Terminal 6.4mm
CN2515	Blue Male Terminal 6.4mm
CN2517-B	Blue Butt Terminal 15A
CN2523-B	Blue Ring Terminal 6.4mm



Uniconn Blue Connector
CN2131-B



3M Blue Scotchlocks
CN2132-B

CHECK OUT OUR WEBSITE

Our website now provides a state of the art resource for all our customers. For the most up to date product information, pricing and latest news head to www.dencon.co.uk

- Responsive
- Clear and easy to use
- View detailed product information
- Place orders fast 24/7-365
- View and re-order from old invoices
- Browse the full range
- View special offers



PLUS

Our website is specially adapted to use and order via your smartphone or tablet.

GET YOUR FREE ONLINE ACCOUNT TODAY!
visit www.dencon.co.uk or www.lyvia.co.uk

PLUGS, FUSES, ADAPTORS & LEADS



FUSES	46-47	SOCKET CONVERTERS	53
PLUGS	47	MULTIPLUGS	54
CONNECTORS & TRAILING SOCKETS	48-49	INDOOR TIME SWITCHES	54
EXTENSION LEADS & REELS	50-51	TRAVEL ADAPTORS	55
POWER HUB EXTENSION SOCKETS	52	NIGHT LIGHTS & ACCESSORIES	56
RCD ADAPTORS	53		
REMOTE CONTROL SOCKETS	53		



FUSES

Fuses to BS1362

Our BS1362 approved fuses are available in the following options:

- Blister Pack of 4 - available for 3A, 5A & 13A only
- Boxed 10/100's - 10 packs each containing 100 fuses
- Display Card of 72 - this consist of 18 bags of 4 fuses on a display card. (Display cards of assorted 3A, 5A and 13A are also available. See below)
- Bag of 1,000



1003

1005

1013

Display Card of 36 Assorted Fuses CIC

- 4 x packs of 3, 3A Fuses
- 4 x packs of 3, 5A Fuses
- 4 x packs of 3, 13A Fuses

Display Card of 72 Assorted Fuses SPC

- 6 x packs of 4, 3A Fuses
- 6 x packs of 4, 5A Fuses
- 6 x packs of 4, 13A Fuses

Mixed Blister Pack of 9 103513

- 3 x 3A Fuses
- 3 x 5A Fuses
- 3 x 13A Fuses



Fuses to BS646

Amp	CODES		
	Single	Pack of 2	Pack of 4
1A	SM1	SM1/2	SM1/4
2A	SM2	SM2/2	SM2/4
3A	SM3	SM3/2	SM3/4
5A	SM5	SM5/2	SM5/4

Also available in a Display Card of 72



Consumer Fuses to BS1361

Amp	CODES	
	Single	Pack of 2
5A	CF5	CF5/2
15A	CF15	CF15/2
20A	CF20	CF20/2
30A	CF30	CF30/2
45A	CF45	CF45/2

5A, 15A and 30A Fuse Wire 1095

24pcs Display Card 1095C



13A UK Socket Adaptor Plug with 2 x 2.4A USB Ports 1696

PLUGS



13A, 3 Pin Plug BS1363

1689	Fused to 13A	White
1683	Fused to 3A	White



13A, 3 Pin Nylon Plug BS1363/A

1700	Fused to 13A	White
1709	Fused to 13A	Black



13A, 3 Pin Rubber Plug BS1363/A

6283W	13A	White
6283B	13A	Black



13A Pull Plug BS1363

1650	13A	White
------	-----	-------



Round Pin Plug BS546

6051	15A	White
6052	5A	White
6053	2A	White



Safety Socket Inserts Pack of 6

1606

- Available loose



CONNECTORS & TRAILING SOCKETS

Our rubber and nylon connectors and trailing sockets provide a safe and easy way of extending power cables and electrical appliances.


Resilient Trailing Sockets

Code	Amp	Gang	Colour
9432B	13A	1 Gang	Black
9432OR	13A	1 Gang	Orange
9432W	13A	1 Gang	White
9433B	13A	2 Gang	Black
9433OR	13A	2 Gang	Orange
9433W	13A	2 Gang	White



Resilient Connectors

Code	Amp	Pins	Colour
9412B	10A	2 Pin	Black
9412OR	10A	2 Pin	Orange
9412W	10A	2 Pin	White
9416B	10A	3 Pin	Black
9416OR	10A	3 Pin	Orange
9416W	10A	3 Pin	White



Nylon Connector

Code	Amp	Pins	Colour
9418W	5A	2 Pin	White
9417B	10A	2 Pin	Black
9417W	10A	2 Pin	White
9417OR	10A	2 Pin	Orange
9415B	5A	3 Pin	Black
9415W	5A	3 Pin	White
9414B	10A	3 Pin	Black
9414W	10A	3 Pin	White



1 & 2 Gang Rubber Covered Trailing Sockets

Code	Amp	Gang	Colour
9413W	13A	1 Gang	White
9413B	13A	1 Gang	Black
9422W	13A	2 Gang	White
9422B	13A	2 Gang	Black



1 & 2 Gang Nylon Trailing Sockets

Code	Amp	Gang	Colour	Neon
9419	13A	1 Gang	White	-
9420	13A	2 Gang	White	✓
9410	13A	2 Gang	White	-



9429B



9426



9429W

3, 4 & 6 Gang Trailing Sockets

Code	Amp	Gang	Colour	Neon	Fused	Switched
9426	13A	4 Gang	White	✓	-	-
9429W	13A	4 Gang	White	✓	✓	-
9429B	13A	4 Gang	Black	✓	✓	-
9444	13A	4 Gang	White	✓	-	✓
9466	13A	6 Gang	White	✓	-	-



9466




EXTENSION LEADS

Compact, low profile design means our range of convenience adding extension leads bring power to any area of the home or office. With lengths and power ratings available for all eventualities.

1 & 2 Gang Extension Leads

Length	Amp	Gang	Display Bag Code
5M	13A	1 Gang	M35BG
10M	13A	1 Gang	M36BG
3M	13A	2 Gang	M43BG
5M	13A	2 Gang	M45BG
10M	13A	2 Gang	M46BG



4 & 6 Gang Extension Leads

Code	Amp	Gang	Length	Neon	Fused	Switched
9426AS	13A	4 Gang	2M	N/A	-	-
9444AS	13A	4 Gang	2M	✓	-	✓
9427AS	13A	4 Gang	5M	✓	-	-
9466AS	13A	6 Gang	2M	✓	-	-
9468ASBG	13A	6 Gang	5M	✓	-	✓



EXTENSION REELS

Our quality range of extension reels – from 5m cassettes to 50m heavy-duty drums - will bring power to almost anywhere.

Code	Length	Amp	Gang	Description
M24	10M	10A	4 Gang	Cable Reel Cassette
M26	15M	13A	4 Gang	Cable Reel Cassette
M23	20M	13A	4 Gang	HD Open Drum Reel
M930	30M	13A	2 Gang	HD Open Drum Reel
M950	50M	13A	2 Gang	HD Open Drum Reel



SURGE PROTECTED LEAD

With surge protection and neon power indicators, these handy extension leads provide extra protection for computers and appliances that may be susceptible to hardware failure from surges and spikes.

Code	Amp	Gang	Length	Packed
9440	13A	4 Gang	2M	Bagged
9482AS	13A	4 Gang + 2 USB & neon light	2M	Clamshell





9496B

9494W

POWER HUBS

The PowerHub's unique compact design means this is less intrusive than large tower or strip extensions leads. It makes it an ideal partner for all your media devices... Power and charge your smart TV, your gaming devices your phone and tablet all in this compact non intrusive unit.

8 x 13A Sockets and 4 x USB Charging Ports

- Output 4800mA
- 8 x 13A UK power sockets with 4 x USB charging ports
- Surge protection
- 1.5m lead

9496W	White
9496B	Black

9 x 13A Sockets

- 9 x 13A UK power sockets
- 1.5m lead

9494W	White
9494B	Black

RCD ADAPTOR

Suitable for DIY and garden power tools, the RCD adaptor safeguards from possible hazards of electrical shock.

RCD Adaptor
4700



REMOTE CONTROL SOCKETS



Set of 3
4729

- Works up to 30 metres
- Eco Friendly
- Easy to use

- Max load 1200W
- Batteries included
- Made to British Standard BS 5733

CONVERTERS

Switched Converters

Converts an existing flush mounted single switched or unswitched socket to a 2 or 4 switched surface socket.

4449	1G to 2G
4123	1G/2G to 3G + 4 x USB ports and surge protection
4125	4G Switched Conversion Socket



4125



4449



4123



SHAVER ADAPTORS

13A, Fused
6025
• Conforms to BS1363/3



3Way 13A Fused
Adaptor
5688



2Way
13A Adaptor
5685



SOCKET ADAPTOR



T-shape 2 Way 13A Socket
Adaptor with 2 x USB
Charging Ports - 2.1A
1695

INDOOR TIMER SWITCHES



24Hr Programmable
Mechanical Timer
4728

- 13 Amp
- 48 ON/OFF program
- 15 minutes for one slice
- Power supply: 250V, 50HZ
- Max 3200W



7 Day Digital Timer
4725

- 13 Amp
- Multi Function
- Easy Operation
- LCD Display
- Battery Back Up
- EN60730-2-7, BS1363



7 Day Mechanical
Segmented Timer
4727

- 13 Amp
- Max load 3,000W
- 12 x 7.1cm
- EN 60730-2-7, BS1363



24Hr Segmented
Plug In Timer
4724

- 13 Amp
- 30 minute segment type
- Max load 3000w
- 10 x 6 x 3.7cm
- Mini Dial
- EN60730-2-7, BS1363



24 Hour 7 Day Digital
Plug In Timer
4721

- 13 Amp
- Programmable Multi Function
- Large LCD Screen
- Manual Override
- Energy Saving
- Back Up Battery
- 240V



FAR & AWAY®

Travel Products

TRAVEL ADAPTORS BS8546

Our range of travel adaptors are high quality and conform to all safety requirements. Covering a wide range of the most popular travelled to locations, you can be sure that they will meet most requirements.

ADAPTORS FOR UK VISITORS

Tourist to UK Mains
Adaptor 13A

1666
Allows equipment with American, Australasian or 2-pin European mains plugs to plug in to UK mains



Schuko to UK Mains
Adaptor 13A

1664
Converts 2-pin European mains plugs with side swipe earth terminal to UK mains



FOR A FULL LIST OF COMPATIBLE COUNTRIES PLEASE SEE OUR WEBSITE www.dencon.co.uk



10A USA Travel Adaptor
1660 - Most commonly used:



10A Australia Travel Adaptor
1661 - Most commonly used:



ADAPTORS FOR UK TRAVELLERS

European
Travel Adaptor
1667 - Most commonly used:



Travel Adaptor With 2
x 2.1mA USB Charging
Ports BS 5733
1672





NIGHTLIGHTS

With low energy consumption and cool to the touch, all our night lights plug into a standard UK socket to emit a low level glow to children's rooms, halls or corridors.

Moonlight Low Energy Nightlight

1610

- Blue/Green light
- No bulb to change
- Slim design
- Cool to touch
- 3 Year guarantee
- EN60598



Sensor LED Night Lamp

1612



LED Automatic Nightlight

1611



Glowlight

1600

- Warm amber glow

Nightlight Accessories



CODE	Watt	Base
765F	7W Spare Bulbs	E12 (fits 1605)
765	7W Spare Bulbs	E14
RL500	500mA Spare Fuse	(fits 1605)



AV, PHONE & NETWORK



TELEPHONE ACCESSORIES	58-59
DATA & BROADBAND ACCESSORIES	60
USB CABLES	61
CABLE TIDY	61
TV AERIAL & SATELLITE ACCESSORIES	62-63
AV LEADS	64-65



TELEPHONE ACCESSORIES

Our wide range of telephone accessories includes... Sockets, adaptors, cables, filters, plugs, junctions and much more!



Telephone Sockets

7200	1 way Master
7201	1 way Extension



Flush Telephone Sockets

7220	1 way Master
7221	1 way Extension
3471	1 way Extension



'Compact' Telephone Extension Socket
7211

**FOR OUR DECORATIVE FINISH TELEPHONE SOCKETS...
SEE PAGES 14, 15, 18, 58**

Telephone Extension Kits

Complete with cable, clips and surface mount extension box, the telephone extension kits provide a permanent additional telephone socket in any home or office.

41522310	10M Extension Kit
41522315	15M Extension Kit
41522320	20M Extension Kit



Telephone Extension Leads


Our comprehensive range of telephone extension leads with low profile cabling are excellent for inconspicuously bringing a phone line to any room within a home or office environment.

7235	3m Extension Lead
7204	5m Extension Lead
7215	10m Extension Lead
7216	15m Extension Lead
7218	20m Extension Lead



UK Plug to US Plug Lead

7236	3m Lead
------	---------



TELEPHONE ADAPTORS

7203	2 Way UK Splitter	7238	USA-UK Adaptor
7233	3 Way UK Splitter	7241	UK-USA Adaptor
7244	4 Way UK Splitter	7242	USA-UK Adaptor with Capacitor



Single UK Plug 7230

UK Plug Kit, Comprising 2 UK Plugs and Tool 7300

Ideal for replacing a broken telephone plug, the kit includes 2x standard 4-way BT telephone plugs and tool allowing easy termination of the plugs.



Bell Ringer
7212



6 Way Telephone Junction Box
7213



Insertion Tool
7240

Used to insert wires properly into correct telephone socket holes.



DATA & BROADBAND

We stock a comprehensive range of data, broadband and computer accessories all fully compliant to British Standards.

RJ11 to RJ11 Broadband Leads

7255	3m Lead
7256	5m Lead
7257	10m Lead

Suitable for use as a replacement cable for broadband modems requiring a pin-to-pin connection.



CAT5E Network Patch Leads

PE601	1m Lead
PE602	2m Lead
PE603	3m Lead
PE605	5m Lead
PE610	10m Lead

Quality RJ45 CAT5E patch leads ideal for data networking.



ADSL Microfilter
LJ5109

ADSL plug splitters / microfilters for use at each phone socket around the home or office to separate the voice and data.



Broadband Splitter/Filter
41602401

UHF/VHF compact satellite splitters with power pass to all ports.

USB CABLES

Compliant with high speed USB2 specification with durable moulded connectors.



USB 2.0 Printer
Cable A-B

7261	3m Lead
------	---------



USB 2.0 Extension
Cable A-A

7260	3m Lead
------	---------



USB 2.0 Extension
Cable A-M/F

7262	5m Lead
------	---------

CHARGING LEADS



USB 2.0, A Male
to Mini 5pin Male
Charging Cable,
White Nickel plated

7092	1m Lead
------	---------

USB A to Micro
5 Pin Connector
Charging Cable

7091	1m Lead
------	---------

USB 2.0, A Male to
Lightning Connector
Charging Cable,
White Nickel plated

7093	1m Lead
------	---------



Universal USB
charging plug
7090

- Compatible with Android and IOS devices



USB 2.0 to Type-C
Lead Cable

7094	1m Lead
------	---------



CABLE TIDY

- Cable and wire organising kit
- Fully adjustable
- Easily detachable
- 1.5m x 28mm

7425B	Black
-------	-------





TV AERIAL & SATELLITE

TV Aerial & Satellite Sockets



Single Flush TV
Coax Socket
7119



Double Flush TV
Coax Socket
7120



Single Surface
TV Coax Socket
7114



Double Surface
TV Coax Socket
7115



F Type Satellite
Socket
7121



F Type Satellite &
TV Socket
7122



WHEN ORDERING OUR BAGGED PACKAGED OPTION, BE SURE TO ADD **"NB"** TO THE END OF OUR ITEM CODES.



TV Aerial & Satellite Accessories

TV Lead Kit 7071

Includes 10m Coax TV Aerial Lead (7086W), 2 Way Coax Splitter (7113), Coax Coupler (7118), Coax Plugs (7073) & Cable Clips (F51).



'F' Plug
7149



'F' Coupler
7148



2 Way Coax Splitter
7113



3 way Coax Splitter
7116



Metal Coax Plug
7073 (Male)



Metal Coax Socket
7074 (Female)



Coax Coupler
7118



'F' Plug to Coax Socket
7072

TV & Video Leads



Coax TV Aerial Lead
Coax Plug to Coax Plug,
Digital compatible

7075	2m Lead	White
7076	4m Lead	White
7086W	10m Lead	White



Coax Video Lead
Coax Plug to Coax Socket
Digital compatible

7078	2m Lead	White
7079	4m Lead	White



AV LEADS

HDMI Leads

High quality and fully screened high speed HDMI leads with ethernet connectivity and V1.4 certification. Ideal for 3D TV and AV equipment. Gold plated connectors.

HDMI to HDMI Cable

7064	0.7m Lead
7065	1.5m Lead
7066	3m Lead




HDMI Switch
7069
3 Way Switching' HD



21 Pin Scart Plug to Plug Lead

7340	1.5m Lead
7344	3m Lead



21 Pin Scart to 3 Phono Plug

7341	1.5m Lead
------	-----------

The SCART to 3 phono is designed to input composite video and stereo audio signals.



21 Pin Scart to 3 Phono Sockets Adaptor

7346	1.5m Lead
------	-----------

SCART adaptor with left/right female RCA audio, composite video female RCA and S-VHS ports. Comes with input/output switch giving you control over signal direction.

3 Phono Leads

3 Phono Plug to 3 Phono Plugs, 5m Lead 7250

Triple RCA / phono cable ideal for connecting DVD players, home cinema systems, projectors to TVs. Transfers left and right audio and composite video between two pieces of audio visual equipment.



Audio Cables

2 Phono Plugs to 2 Phono Plugs

7336	1.2m Lead
7337	5m Lead

2 Phono Plugs to 2 Phono Sockets

7338	2.5m Lead
------	-----------



3.5mm Stereo Jack Plug to 2 Phono Plugs

7335	2.5m Lead
------	-----------

Ideal for connecting iPods, tablets and PCs to audio equipment.



3.5mm Stereo Jack Plug to 3.5mm Stereo Jack Plug

7353	1.2m Lead
------	-----------

PACKAGING TO SUIT YOUR NEEDS

Eco-friendly bag, Pre packed, loose, boxed and blistered.....

Our numerous packaging options offer your business complete flexibility meaning you can provide your customers with exactly what they need! The choice is simply yours!



WE'RE FLEXIBLE ON FLEX... AND ALL OF OUR OTHER CABLE!

We recognise that not all customers want to buy in 25m, 50m or 100m drums, which is why pre-cut cable is available in various shorter lengths.

Whatever your electrical requirements, you can trust in Dencon to meet them!

**CONTACT OUR SALES TEAM
FOR MORE INFORMATION**

LED, LAMPS & BULBS



LyvEco®

SMART LAMPS	68
LED FLOODLIGHTS	69 - 70
LED BULBS	71 - 79
LED LINK LIGHTS	80
LED CCT BATTENS	81
LED PANEL LIGHTS	82
LED BULK HEADS	83
HALOGEN LAMPS	85 - 86
APPLIANCE LAMPS	87
TORCH LAMPS	87
COLOURED LAMPS & 2D LAMPS	88
WORK LAMPS	90
LANTERNS	91
CABINET LIGHTS	91





LyvEco® SMART LAMP

WIFI CONTROL RGB + CCT


- SMART DEVICE CONTROL (IOS/ANDROID/ALEXA)
- DIMMABLE
- ON/OFF CONTROL
- COLOUR CHANGE
- SET TIMERS
- VOICE CONTROL



Item Code	SMART4619	SMART4617	SMART4618
Shape	GU10	GLS	GLS
Cap	GU10	BC	ES
Lumen	450	806	806
Wattage	5.5	9	9
Colour Temp	CCT/RGB	CCT/RGB	CCT/RGB
Height	55	123	123
Width	50	60	60
CRI	80	80	80



Scan To View On Website



LyvEco® AC220-240V 50Hz

LED FLOODLIGHTS (optional PIR)

Easy Fit Angled Bracket / Operated With Or Without The PIR



Item Code	Lumens	Wattage	Height	Width	IP
9751B	850	10	84	107	65
9752B	1600	20	84	107	65
9753B	2500	30	106	135	65
9754B	4000	50	141	196	65
9755B	8000	100	271	206	65
9759B	x	x	107	84	44



RoHS

Scan To View
On Website



LyvEco® AC220-240V 50Hz



LED FLOODLIGHTS

LED Floodlights with Fixed PIR or Without



Item Code	Lumens	Wattage	Height	Width	IP	PIR
9741B	800	10	89	129	54	Yes
9741W	800	10	89	129	54	Yes
9742B	1600	20	108	144	54	Yes
9744B	2100	30	136	167	54	No
9746B	3500	50	186	206	54	Yes
9747B	800	10	89	75	65	Yes
9747W	800	10	89	75	65	No
9743B	2100	30	136	115	65	No
9745B	3500	50	186	157	65	No
9748B	6500	100	277	231	65	No



9747B



9745B



9747B



RoHS

Scan To View
On Website



LyvEco[®] AC220-240V 50Hz

LED DECORATIVE LAMPS

ST64 & G80 Gold & Clear Glass



4675 (ST64)

4687 (G80)

ST64 Non Dimmable


Item Code	Lumens	Wattage	Height	Width	Cap	Finish
4673	660	6	145	64	ES	Clear
4675	660	6	145	64	BC	Clear
4683	600	6	145	64	ES	Gold
4685	600	6	145	64	BC	Gold

ST64 Dimmable

Item Code	Lumens	Wattage	Height	Width	Cap	Finish
4674	660	6	145	64	ES	Clear
4676	660	6	145	64	BC	Clear
4684	600	6	145	64	ES	Gold
4686	600	6	145	64	BC	Gold

G80 Dimmable

Item Code	Lumens	Wattage	Height	Width	Cap	Finish
4687	600	6	120	80	ES	Gold



Scan To View
On Website



All packaged
in hanging
boxes

LyvEco[®] AC220-240V 50Hz



LED GU10 / MR16

Ceiling Lamps



LED ROUND/GOLF BALL LAMPS

Household LED Light Bulbs



GU10 Non Dimmable

Item Code	Lumens	Watts	Height	Width	Kelvins
3628	280	3	55	50	2700
3629	280	3	55	50	4000
3630	425	5	55	50	2700
3631	425	5	55	50	4000
3632	600	7	55	50	2700
3633	600	7	55	50	4000
3660	280	3	55	50	6200
3661	425	5	55	50	6200
3662	600	7	55	50	6200

All Glass Version Non Dimmable

3647	425	5	55	50	4000
------	-----	---	----	----	------

Dimmable

3675	425	5	55	50	2700
3676	425	5	55	50	4000


All packaged in hanging boxes

MR16 Non Dimmable


Item Code	3650	3651
Lumens	280	425
Wattage	3	5
Size (mm/mm)	52x50	52x50
Kelvins	4000	4000



Scan To View GU10 On Website



50mm



50mm

Scan To View MR16 On Website



Round/Golf Ball Non Dimmable

Item Code	Lumens	Wattage	Height	Dia	Cap	Kelvins
3657	250	3	90	23	BC	3000
3668	250	3	90	23	SES	3000
3669	250	3	90	23	ES	3000
3639	470	6	90	23	BC	3000
3640	470	6	90	23	SES	3000
3641	470	6	90	23	ES	3000
3689	470	6	90	23	BC	4000
3690	470	6	90	23	SES	4000
3691	470	6	90	23	ES	4000

Scan To View On Website



All packaged in hanging boxes

LyvEco® AC220-240V 50Hz

LyvEco® AC220-240V 50Hz



LED CANDLE LAMPS

Household LED Light Bulbs




Scan To View
On Website



Candle Non Dimmable

Item Code	Lumens	Wattage	Height	Dia	Cap	Kelvins
3636	470	6	115	35	BC	3000
3637	470	6	115	35	SES	3000
3638	470	6	115	35	ES	3000
3686	470	6	115	35	BC	4000
3687	470	6	115	35	SES	4000
3688	470	6	115	35	ES	4000



All packaged
in hanging boxes

Dimmable

3666	470	6	115	35	BC	4000
3667	470	6	115	35	SES	4000

LyvEco® AC220-240V 50Hz

LED GLS LAMPS

A60 / A70 & A80 Sizes



Non Dimmable

Item Code	Cap	Lumens	Wattage	Height	Width	Kelvins
3601	BC	480	6	115	60	3000
3602	ES	480	6	115	60	3000
3642	BC	806	10	115	60	3000
3643	ES	806	10	115	60	3000
3648	BC	1521	15	115	60	3000
3649	ES	1521	15	115	60	3000
3658	BC	1521	15	115	60	4000
3659	ES	1521	15	115	60	4000
3692	BC	806	10	115	60	4000
3693	ES	806	10	115	60	4000
3694	BC	1920	20	115	70	4000
3695	ES	1920	20	115	70	4000
3696	BC	2452	24	115	80	4000
3697	ES	2452	24	115	80	4000

Dimmable

3664	BC	806	10	115	60	4000
3665	ES	806	10	115	60	4000



Item Code	3698
Cap	1050
Lumens	12
Wattage	B22d-3
Height	115
Width	60
Kelvins	4000



Scan To View
On Website



All packaged
in hanging boxes

LyvEco® AC220-240V 50Hz



LED G4, G9, REFLECTORS & TUBES

Household LED Light Bulbs



Non Dimmable

G9
3644G4
3646

Item Code	Lumens	Watts	Height	Width	Cap	Kelvins
3644	360	4	50	12	G9	2700
3645	360	4	50	12	G9	4000
BP3646	210	2	37	10	G4	2700
BP3648/2	150	1.5	37	10	G4	2700
BP3644	360	4	50	12	G9	2700
BP3645	360	4	50	12	G9	4000

Scan to View
On Website

Dimmable



Item Code	Lumens	Watts	Height	Width	Cap	Kelvins
BP3654	300	3	50	12	G9	2700
BP3655	300	3	50	12	G9	4000

All packaged in hanging boxes apart from item codes that begin with "BP" these are packaged on blister hanging cards

Reflector Lamps Non Dimmable



3670

Item Code	Lumens	Watts	Height	Width	Cap
3670 (R50)	470	6	85	50	SES
3671 (R63)	638	8	98	63	ES
3672 (R80)	806	10	110	80	ES



Scan to View On Website

S15 Striplight LED Tubes



Item Code	Lumens	Watts	Length
37221	360	4.5	221mm
37284	480	4.5	284mm



LED APPLIANCE & FLAME LAMPS

Cooker, Fridge & Flame



LED Appliance Lamps Dimmable

Item Code	Lumens	Wattage	Length	Height	Kelvins	For Use In
4668	470	4	25	85	4000	Cooker Hood
BP4668/2	470	4	25	85	4000	Cooker Hood
BP4681	180	1.5	26	57	3000	Fridge
BP4669/2	470	4	25	85	2700	Cooker Hood
4669	470	4	25	85	2700	Cooker Hood

Scan To View
On Website

Dimmable

All packaged in hanging boxes apart from item codes that begin with "BP" these are packaged on blister hanging cards



4669



BP4681



LyvEco® AC220-240V 50Hz

LyvEco® AC220-240V 50Hz



LED FILAMENT LAMPS

Opal GLS, Candles & Round



Candle Non Dimmable

Item Code	Lumens	Wattage	Cap
4642	470	4	BC
4643	470	4	ES
4644	470	4	SES
4645	470	4	SBC



Round Non Dimmable

Item Code	Lumens	Wattage	Cap
4664	470	4	BC
4665	470	4	ES
4666	470	4	SES
4667	470	4	SBC



GLS Non Dimmable

Item Code	Lumens	Wattage	Cap
4640	880	8	BC
4641	880	8	ES



Scan To View
On Website



All packaged
in hanging
boxes

LyvEco AC220-240V 50Hz

LED FILAMENT LAMPS

Clear GLS, Candles & Round



GLS Non Dimmable

Item Code	Lumens	Wattage	Cap
4600	880	8	BC
4601	880	8	ES
4602	470	4	BC
4603	470	4	ES

GLS Dimmable

4620	880	8	BC
4621	880	8	ES



Round Non Dimmable

Item Code	Lumens	Wattage	Cap
4660	470	4	BC
4661	470	4	ES
4662	470	4	SES
4663	470	4	SBC



Candle Non Dimmable

Item Code	Lumens	Wattage	Cap
4604	470	4	BC
4605	470	4	ES
4606	470	4	SES
4607	470	4	SBC
4608	240	2	BC
4609	240	2	ES
4610	240	2	SES
4611	240	2	SBC

Candle Dimmable

4622	470	4	BC
4623	470	4	ES



Candle Wick Non Dimmable

Item Code	Lumens	Wattage	Cap
4612	470	4	SES
4613	240	2	SES



Scan To View
On Website




All packaged in hanging boxes

LyvEco AC220-240V 50Hz



LED LINK LIGHTS

T5 Fittings




Item Code	Lumens	Wattage	Length (mm)	Height (mm)
3201	320	4	313	23
3202	640	8	573	23
3203	800	10	873	23
3204	1120	14	1173	23



Scan To View
On Website



Simply link fittings directly together



Item Code	Length (mm)
3205	150
3206	300
3207	600




Interconnecting Leads
Supplied in hanging display bags


LyvEco AC220-240V 50Hz

LED CCT BATTENS

4ft 40W / 5ft 60W



Item Code	Lumens	Wattage	Kelvins	Length (mm)
37240	3600	40	3000 - 6000	1200 (4ft)
37260	5400	60	3000 - 6000	1500 (5ft)



Scan To View
On Website



SUPER SLIM DESIGN
SURFACE & FLUSH MOUNTABLE
EASY WIRING TERMINAL BLOCK
LINK & CONNECT TOGETHER

SIMPLE MOUNTING & INSTALLATION
STURDY ALUMINIUM BACK PLATE
CONDUIT OR BACK CONNECTOR
INTERNAL CCT SWITCH

20mm cable entry at both ends of the fitting

LyvEco AC220-240V 50Hz



LED PANEL LIGHTS / 110V LAMPS

Lighting Options




6060 / 6061

6064
(Sold in packs of 4)



LED Panel Lights (Transformer included) 240V

Item Code	Lumens	Wattage	Kelvins	Size (mm)
6060	3200	40	4000	600 x 600
6061	3200	40	6200	600 x 600
6064	3200	40	6200	600 x 600



Scan To View
On Website



LED 110V Industrial GLS Lamps

Item Code	3680	3681
Lumens	806	806
Wattage	10	10
Cap	BC	ES
Size (mm/ mm)	109 x 60	109 x 60



Scan To View
On Website



LyvEco® AC220-240V 50Hz


LED BULK HEADS

Outdoor Lighting Options




LED Round Bulk Head

Item Code	966
IP	54
Lumens	800
Watt	10
Kelvins	4000
Diameter	160mm
Height	70mm




Scan To View
On Website



LED Oval Bulkheads

Item Code	9721W	9721B
Lumens	420	420
Wattage	6	6
IP	54	54
Material	ABS	ABS



Scan To View
On Website



LyvEco® AC220-240V 50Hz



Colour Temperature / Kelvins



Dimmable icon, means the lamp can be dimmed.



Non dimmable icon, means the lamp cannot be dimmed.



INSTANT FULL LIGHT


Instant Full Light icon, means the lamp is at full brightness immediately.




Beam angle icon, shows the angle of degree that the lamp light output beam will be.



This icon shows the lamps current energy efficiency rating



EU/N.I Energy Label



2022 UK Energy Label



QUALITY



PERFORMANCE



VALUE

Lamp Removal Tool
SP250

Can be used with most lamp types. Makes removal of lamps effortless. Double hinge for easy removal of recessed lamps. Long 90mm handle for better leverage. Strong suction cup.



HALOGEN LAMPS



Halogen MR16 GU5.3 Reflector Lamps 12V

Code	Watt	Beam Kelvins	Energy Class
557000	20W	24° 2700	B
557176	50W	24° 2700	B
557203	20W	36° 2700	B
557261	50W	36° 2700	B



Halogen MR11 GU4 Reflector Lamps 12V

Code	Watt	Beam Kelvins	Energy Class
557290	20W	30° 2700	B



Xenon G9
Capsule Lamps
240V, Clear

Watt	Blister Pack x2	Lumens
18W	BP44118/2	205
28W	BP44128/2	370
42W	BP44142/2	630



G4 Capsule Halogen Lamps
12V, Clear

Watt	Blister Pack x2
10W	BP44110/2
20W	BP44120/2

HALOGEN LAMPS

Halogen provide excellent bright lighting and are dimmable, used in a variety of locations from home to offices to schools and retail stores, the halogen remains a popular choice for all lighting applications.



Halogen Dichroic Reflector Lamps
12V, Closed Front

Code	Watt	Type	Beam	Blister Pack
4411125	5W	MR11	24°	N/A
44111210	10W	MR11	24°	N/A
4411220	20W	MR11	24°	N/A



Low Energy Halogen Linear
Tubes - R7s Cap 4201

Code	Watt	Size	Voltage	Blister Pack	Blister Pack x2
4181	80W	78mm	240V	-	-
4151	120W	78mm	240V	BP4151	-
4201	160W	117mm	240V	BP4201	BP4201/2
4301	230W	117mm	240V	BP4301	BP4301/2
4501	400W	117mm	240V	BP4501	BP4501/2

SPECIAL PURPOSE LAMPS

We stock a full range of miscellaneous lighting accessories, from replacement appliance lamps, torch lamps and also coloured bulbs in an array of colours.

APPLIANCE LAMPS



Fridge Lamps

Watt	Base	Blister Pack
10W	SES	BP3743
10W	SES	BP3743/2
15W	SES	BP3744
15W	SES	BP3744/2



Cooker Hood Lamp

Watt	Base	Blister Pack x2
40W	SES	BP3742/2



Oven Lamp 300°C

Code	Watt	Base	Size
3745	40W	SES	78 x 45mm



Pygmy Lamps

Code	Watt	Base	Blister Pack x2
3769	15W	BC	
3767	15W	SES	BP3767/2



Nightlight
Lamps

Code	Watt	Base
765F	7W	E12 (fits 1605)
765	7W	E14



Oven Lamp 300°

Watt	Base	Blister Pack x2
15W	SES	BP3741/2

TORCH LAMPS

MES Torch
Lamps

603	2.5V
605	3.5V
606	6V



Pre-focus
Torch
Lamps

614	2.5V
615	3.5V
616	6V



Krypton
Pre-focus
Torch
Lamps

619	2.4V
618	3.6V
617	4.8V



MES
Lens End
Torch
Lamp

609	2.5V
-----	------



All available in display Blister Packs of 2



Reflector Lamp

Code	Watt	Size	Base
SE3039	30W	R39	SES

Special purpose lamp not for household room illumination.



Fireglow Lamp

Code	Watt	Base
3797	60W	BC

Special purpose lamp not for household room illumination.



Coloured Lamps

Assorted pack of 10 - 2 each colour, boxed.

Special purpose lamp not for household room illumination.



Code	Lamp Type	Watt	Base	Description	Lumens	Energy Class	Dimmable
3704ASS	Halogen	18W	ES	Pack of 10 - Assorted	205	C	✓
3709ASS	Halogen	18W	BC	Pack of 10 - Assorted	205	C	✓



2D Lamps

Code	Watt	Pin	Colour
4291	16W	2	2700K
4292	28W	4	2700K
4294	28W	4	3500K
4295	28W	2	2700K
4296	16W	4 (GR-10q)	2700K

CHECK OUT OUR WEBSITE

Our website now provides a state of the art resource for all our customers. For the most up to date product information, pricing and latest news head to www.dencon.co.uk

- Responsive
- Clear and easy to use
- View detailed product information
- Place orders fast 24/7-365
- View and re-order from old invoices
- Browse the full range
- View special offers



PLUS

Our website is specially adapted to use and order via your smartphone or tablet.

GET YOUR FREE ONLINE ACCOUNT TODAY!
visit www.dencon.co.uk or www.lyvia.co.uk



WORK LAMPS



Inspection Lamp
K78AS

- Maximum lamp wattage 60W
- Lamp not included
- ES Fitting
- 13A Plug
- 5m Lead



Work Light
9761

- Yellow and black mobile rechargeable LED work light
- 10W / 800 Lumen super bright
- Made of aluminum with toughened glass



Dencon "Super Bright" LED
Work Light
9788

- 3W Inspection Lamp
- Requires 4 x AA batteries
- Hook and magnet 38x22x290mm
- Battery powered
- Available in full colour retail pack of 12

LANTERNS

3 in 1 LED Camping Lantern
8071

The 3 in 1 LED lantern is a handy carry lantern which includes a hand torch and head torch, the torches can be stowed away inside the lantern for convenient storage.

The lantern is illuminated by operating the hand or the head torch whilst they are stowed inside the lantern.

Requires 6 x AAA batteries



Code	Watt	Lumens	Led Type	Battery Life	Approx Range	Dimensions(mm)
8071	3W	160	COB	10 Hours	25m	135 x 115 x 160mm

Outdoor Wall Lantern
with PIR
9723

- 4 x Glass panels
- Made from durable ABS with cast iron vintage appearance
- IP44 rated
- ES fitting
- Max 60W



Outdoor Wall Lantern
9722

- 4 x Glass panels
- Made from durable ABS with cast iron vintage appearance
- IP44 rated
- ES fitting
- Max 60W
- Can be mounted up or down



LED Under Cabinet Lighting Kit
9704

- Easy install
- Pack consists of 4 x Round LED Puck Lights and all the accessories for easy installation
- 4 x 2.5W lights
- Warm light 3000 kelvins
- 12V AC/DC
- 120 Degree beam
- Brushed Chrome finish
- Ultra Slim 8mm depth
- Not dimmable





SOLDERING	94
MAINS TESTERS	94
ELASTIC STRAPS	94
CROCODILE CLIPS	94
VACUUM CLEANER BAGS & ACCESSORIES	95 - 96



SOLDERING



30W Mains
Powered
Soldering Iron
S0125

- 13A Plug
- 1.2m Lead

Lead Free Solder
Dispenser With Flux
S05



TESTERS

Neon Mains Tester

Code	Size
2182	3 x 140mm
2611	3 x 190mm



Mains Socket Tester
1677

- LED light
- Indicators to show socket condition
- Tests up to 240V
- Detects 5 wiring conditions



MISCELLANEOUS



Crocodile Clips

C110	5A
C113	25A
C114	50A



Elastic Straps

A12	12"
A24	24"
A36	36"

VACUUM BAGS

Replacement vacuum bags
come in packs of 5

Code	Description
SDB155	Blomberg BU11
SDB248	Daewoo RC300 Vac Bags
SDB280	Dirt Devil Vac Bags
SDB189	Electrolux Contour
SDB143	Electrolux Contour Range
SDB170	Electrolux Harmony Bags
SDB225	Electrolux Mondo Bags
SDB224	Electrolux Power System LY1207
SDB128	Electrolux VAC 128
SDB26	Electrolux VAC26 LY1189
SDB214	Electrolux Widetrack LY1206
SDB227	Goblin Ace Vac Bags
SDB34	Goblin Aquavac Bags
SDB235	Goblin Aztec 340 Bags
SDB144	Goblin Rio Vac Bags
SDB49	Goblin Solo LY1257
SDB41	Hitachi Akoia LY1266
SDB157	Hoover Aquajet Bags
SDB134	Hoover Audio Bags
SDB43	Hoover Jnr Bags
SDB219	Hoover Pure Power Bags
SDB233	Hoover Telios Bag
SDB98	Hoover Turbo Power LY1290
SDB268	LG 2600E Bags
SDB331	Miele FJM Microfibre Bags + 2 Filter
SDB369	Miele Microfibre GN Bags + 2 Filter
SDB201	Miele S300 Series Bags
SDB205	Morphy Richards Bags
SDB373	Numatic AS200 Microfibre Bags
SDB48	Numatic HVC/J Bags
SDB113	Panasonic MC-E40 Series
SDB57	Panasonic MC70/80 Bags
SDB118	Philips Dirt Devil Bags
SDB152	Vax Tubs Cleaners Vac Bags
SDB91	Vax VAC91
SDB362	Whisper Replacement Bag



Dust Bags
SDB48

Compatible with:

Numatic Models
Henry HVC 200, HVR200
Hetty, James JVC 235, JVR225,
Commercial NRV200, NV/
SE250/350, etc

Qualtex Models
AS100R/BK

Quickclean
Models
AS200B/G/S

Pack of 10





VACUUM BELTS & FILTERS



DY01/FIL54



FIL195



FIL191

FIL219



FIL184



FIL188

Dyson Filters

Code	Description	Suitable for models
DY01	Filters (Pack of 2)	Dyson DC01
FIL54	Filters (Pack of 8)	Dyson DC01
FIL195	Post Motor Filter Pad	Dyson DC07 / 14
FIL191	Post Motor Hepa Allergy Filter	Dyson DC04 / 05 / 08 / 19 / 20 / 29
FIL219	Post Motor Hepa Allergy Filter	Dyson DC07 / 14
FIL184	Washable Motor Pre-Filter	Dyson DC05 / 08 / 14 / 15
FIL188	Washable Motor Pre-Filter	Dyson DC07 Washable

Vacuum Belts

Code	Suitable for:
947/2NB	Philips/Delonghi Belts - Pack of 2
RDB40NB	Dyson Belts - Pack of 2



FLEXIBLE ORDERING

We offer all our customers complete ordering flexibility to suit your individual needs. So whether you want to place your order via our Sales Hotline, fax number, email or via our NEW Website 24/7-365, the choice is yours.



Call **+44(0) 1279 433533**



Email **sales@dencon.co.uk**



Fax **+44(0) 1279 433633**



Visit **www.dencon.co.uk**


TELECOM & DATA ACCESSORIES - TECHNICAL INFORMATION

We hope this will help you when referring to the many types of adaptors and linecords in this catalogue. In the United Kingdom we use two generic types of plug and socket combinations which are as follows.

THE BRITISH SYSTEM

This is a 6 way plug and socket system that was designed in 1979 and is listed under British Standard 856312. The connectors have since been widely used both in the UK and overseas.

The basic 6 way plug is known as a 631 A while the UK socket aperture is based on a device known as the 601 A. The 601 A is from a family of sockets known as the six series (601, 608, 610, etc.) which all share the same basic aperture. We shall just refer to it as UK socket.



431A, 631A UK PLUG

631A 6 position 6 contact
431A 6 position 4 contact

pins used
123456
2345

UK SOCKET

6 position 6 contact
6 position 4 contact

contacts used
123456
2345


THE USA MODULAR SYSTEM

This comes in three basic styles of jack and socket style although there are some variants; longer, shorter, keyed, etc. The type known as RJ 11 is the nearest we have to a world standard and is used in over 200 countries.

*4 Position Handset type
*6 Position Typically known as RJ11
*8 Position Typically known as RJ45


It should be noted for the knowledge hungry that the use of the RJ label for the above types can be misleading since the RJ designation actually refers to specific wiring arrangements under the USOC system. For instance, what we commonly refer to as an RJ11 6P4C plug could technically be called an 'RJ14(2 pair); and so on.

However, for the sake of simplicity we will keep to the labelling that is now in common use in the UK.



RJ45 PLUG & SOCKET


8P8C 8 position 8 contact



RJ11 PLUG & SOCKET

6P6C 6 position 6 contact
6P4C 6 position 4 contact
6P2C 6 position 2 contact

contacts or pins used
123456
2345
34



HANDSET & PLUG SOCKET

4P4C 4 position 4 contact

CONDITIONS OF SALE

PRICES

List prices and terms are subject to alteration without notice. All orders are accepted at prices current at date of despatch.

DELIVERY/MINIMUM ORDER VALUE

Carriage paid (goods rate) in Great Britain on orders to the net value of £150 and over. On orders of lower value a minimum order charge of £10 will be payable by customer.

PACKING CASES

Will not be charged and are not returnable.

PAYMENT

Net within 30 days.

RETENTION OF TITLE

(I) Until full payment has been received by the seller for all goods whatsoever supplied at any time by the seller to the buyer, property in the goods shall remain in the seller, even where they have been incorporated in a new product.

(II) Subject to (III) and (IV) below the buyer shall be at liberty to sell the goods and the new products in the ordinary course of business on the basis that the seller shall have the full legal and beneficial ownership of the goods and such new products and the proceeds of sale there of shall be the property of the seller, for which the buyer shall account to the seller on demand, until the seller is paid in full.

(III) The seller may revoke the buyer's power of resale by notice to the buyer if the buyer is in default of payment by more than 7 days in respect of any Sums due to the seller or if the seller has bona fide doubts as to the buyer's solvency.

(IV) In the event of:

- (a) A Receiver being appointed over any of the buyer's assets, or
- (b) A winding up order being made against the buyer, or
- (c) The buyer going into voluntary liquidation, or
- (d) The buyer making any arrangement or composition with its creditors, or
- (e) The buyer committing an act of bankruptcy.

The buyer's rights of resale shall automatically cease.

(V) Upon determination of the buyer's power of sale under (III) or (IV) the buyer shall place the goods and new products at the disposal of the seller Who may enter onto any of the buyer's premises in order to retake possession.

(VI) Notwithstanding the above the goods are at the entire risk of the buyer from the time of delivery.

NEW ACCOUNTS

To avoid delay remittance should be sent with order. Before opening a Ledger Account a Bank and two reliable trade references are required.

GUARANTEE

We are proud to replace goods of faulty material or workmanship within two months of delivery provided no attempt has been made by the customer to rectify, dismantle or alter the goods in any way. Subject as aforesaid we cannot in any circumstances accept responsibility for any loss, damage or personal injury arising from any cause whatsoever in connection with our goods and all express or implied warranties or conditions as to the quality or fitness of the goods for any purpose are hereby excluded.

DAMAGE OR LOSS IN TRANSIT

We cannot accept responsibility for damage or loss in transit. Receipts should be signed "unexamined". In case of damage or shortage, notification in Writing should be sent within two days of receipt of goods both to Carrier and to us. Packing and contents should be held for inspection by the Carrier Company. In event of non-delivery, we shall be advised in writing within 14 days from date of our Advice Note.

RETURNS

Goods supplied in accordance with order will not be accepted back for credit unless our written approval has previously been obtained and they are sent carriage free.

ILLUSTRATIONS, DESCRIPTIVE MATTER AND DIMENSIONS

These are typical and not to scale and cannot be held as binding. We reserve the right to alter or vary with or without notice. Illustrations and articles depicted remain copyright to the company.

ORDERING

Please quote codes and state finish required.

EXPORT ORDERS QUOTATIONS

Quotations are based on specific enquiries and subject to alteration without notice.

ORDERS

Orders should be sent through Home Confirming House or otherwise for payment to be made against irrevocable letter of credit; unless other terms have been agreed.

DELIVERY

F.O.B. at English Port on orders £150 and over.

For information of how we handle your data and to view our privacy policy please visit the following webpage <https://www.dencon.co.uk/Privacy>

INDEX

Product	Page	Product	Page
Adaptors (Lampholders)	30, 31, 32, 33, 34	Compact Lever Connector	29
Adaptors (Telephone)	58 - 59	Connection Plates	12
Adaptors (Travel)	55	Connector Boxes	27
Adaptors (TV Scart)	64	Connector Strips	29
ADSL Microfilters	60	Connectors (Resilient)	48
Appliance Lamps	77, 87	Consumer Fuses	46
Armoured Cable	40	Converter Sockets	53
Armoured Cable (Brass Glands)	40	Couplers (Coax)	63
Armoured Cable (Cleats)	40	Couplers (F Type Satellite)	63
Audio Leads	65	Crocodile Clips	94
Battens	81	Data and Broadband Accessories	60
Batten Holders	31	Decorative Lamps	71
Bell Pushes	23	Dimmer Switches	12, 15, 17
Bell Ringer	59	Double Pole Switches	11, 13, 14, 16, 18
Blanking Plates	12, 14, 15	Dry Lining Boxes	27
Boxes (Connector)	27	Dust Bags	95
Boxes (Dry Lining)	27	Earth Bonding Clamps	29
Boxes (Junction)	22, 28	Earth Cable	40
Boxes (Metal)	26	Earth Sleeving	40
Boxes (Pattress)	26	Elastic Straps	94
Brass Lampholders and Accessories	34	Premium Evolution Switch/Socket Range	13, 14
Broadband Filter	60	Extension Leads	50, 51
Bulbs & Lamps	68 - 90	Extension Leads (Power Hubs)	52
Bulkhead Light Fittings	83	Extension Leads (Surge Protection)	51
Cabinet Lighting Kit	91	Extension Leads (Telephone)	58
Cable	38 - 41	Extension Reels	51
Cable Clips	42	F Type Satellite Couplers	63
Cable Tidy	61	F Type Satellite Plugs	63
Cable Ties	43	F Type Sockets	62, 63
Candle Lamps	74	Fan Isolator Switches	11, 14, 17
Ceiling Hooks	32	Filament Lamps	78, 79
Ceiling Lamps	72	Filters (Broadband)	60
Charging Leads	61	Finger Plates	12
Coax Couplers	63	Flex & Cable	38 - 41
Coax Plugs	63	Floodlights	69, 70
Coax Sockets	14, 15, 18, 62, 63	Fluorescent Tubes	34, 35
Coax Splitters	63	Fluorescent Light Fittings	34, 35
Coax TV Aerial Leads	63	Fuse Wire	47

INDEX

Product	Page
Fused Spurs	11, 13, 18, 19
Fuses	46, 56
Fuses (Consumer)	46
Glands	40
Grommets	29
Halogen Lamps & Bulbs	85, 86
HDMI Leads	64
HDMI Switch	64
Inspection Lamps	90
Insulation Tape	42
Junction Boxes	21, 22, 28
Lampholder Accessories	30 - 34
Lampholder Adaptors	32, 33
Lampholder Skirts	32
Lampholders	30, 31, 34
Lamp Removal Tool	85
Lamps (Inspection)	90
Lamps & Bulbs	68 - 90
Lamps & Bulbs (Appliance)	77
Lamps & Bulbs (Coloured)	68, 88
Lamps & Bulbs (Fluorescent Tubes)	34, 35, 76
Lamps & Bulbs (Halogen)	85, 86
Lamps & Bulbs (Torch)	87
Lantern	91
Leads (Audio)	65
Leads (Broadband)	60
Leads (Extension)	50, 51
Leads (HDMI)	64
Leads (Linklights)	36
Leads (Phono)	65
Leads (Scart)	64
Leads (Telephone)	58
Leads (TV & Video)	63 - 65
Leads (USB)	61
Light Fittings	30 - 36
Lighting Connector	29
Linklight Fittings	36, 80
Linklight Leads	36

Product	Page
Mains Tester	94
Metal Boxes	26
Metal Clad Switch/Socket Range	19
Miscellaneous Switches	23
Mortice Switch	20
Nightlight Bulbs/Lamps	56, 87
Nightlight Fuses	56
Nightlights	56
Outdoor Sockets	21, 22
Outdoor Switches	21, 22
Packaging Tape	42
Panel Lamps	82
Pattress Boxes	26
Pendant Kits	30
Phono Leads	65
Plug (Telephone)	59
Plugs	47, 53, 54, 55, 56
Plugs (Coax)	63
Plugs (F Type Satellite)	63
Power Hub Extension leads	52
Pre-cut Cable	41
Pull Switches	20
Pushwire Connector	29
RCD Sockets/Adaptors	53
Reels (Extension)	51
Reflector Lamps	76
Remote Controlled Sockets	53
Resilient Connectors	48
Resilient Trailing Sockets	48, 49
Safety Socket Inserts	47
Satellite F Sockets	62, 63
Scart Adaptors	64
Scart Leads	64
Screws (Socket)	14
Shaver Sockets/Adaptors	11, 14, 18, 54
Shaverlight Fittings	36
Smart Lamps	68
Socket (Converters)	53

INDEX

Product	Page
Socket Screws	14
Sockets	10, 11, 13, 14, 15, 16, 17, 18, 19, 21, 22, 47, 48, 49
Sockets (Outdoor)	21, 22
Sockets (Remote Controlled)	53
Sockets (Satellite F)	62, 63
Sockets (Shaver)	11, 14, 18, 54
Sockets (Telephone)	14, 15, 18, 58, 59
Sockets (Timer)	54
Sockets (Trailing)	48, 49
Sockets (TV Aerial Coax)	14, 15, 18, 62, 63
Sockets (USB)	10, 16, 18, 19
Solder	94
Soldering Irons	94
Splitters (Telephone)	59
Splitters (TV & Satellite)	62, 63
Starters	35
Stereo Jack Plug Leads	65
Straps (Elastic)	94
Striplights	76
Striplight Fittings	35
Surge Protection Extension Leads	51
Switches	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23,
Switches	10, 12, 13, 15, 16, 17, 19
(Double Pole)	
Switches (Fan Isolator)	11, 14, 17
Switches (Miscellaneous)	23
Switches (Outdoor)	21, 22, 91
Switches (Pull)	20
Switches (Through)	23
Switches (Timer)	54
Tapes	42
Telephone Sockets	14, 15, 18, 58
Telephone Accessories	58, 59
Telephone Adaptors	59
Telephone Extension Kits	58
Telephone Extension Leads	58

Product	Page
Telephone Junction Box	59
Telephone Splitters	59
Terminals	43
Testing Equipment	94
Through Switches	23
Timer Switches/Socket	54
Tools & Equipment	94, 95
Torch Lamps	87
Trailing Sockets	48, 49
Travel Adaptors	55
TV & Video Leads	63, 64, 65
TV Aerial & Satellite Accessories	14, 15, 18, 62, 63
TV Aerial Coax Sockets	14, 15, 18, 62, 63
USB Leads	61
USB Sockets	10, 16, 18, 19, 47, 52, 53, 54, 55
Vacuum Belts	96
Vacuum Cleaner Accessories	95, 96
Vacuum Cleaner Bags	95
Vacuum Filters	96
Venetian Stainless Steel Range	17, 18
Waterproof Connectors	27
White Moulded Switch/Socket Range	10, 11, 12
Wire (Fuse)	47
Work Lamps	90

[illegible][illegible]



The Dencon Group
Lyden House
South Road
Harlow
Essex
UK
CM20 2BS

Tel: +44 (0)1279 433533
Fax: +44 (0)1279 433633
Email: sales@dencon.co.uk
Website: www.dencon.co.uk

